

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-27

Clinical Material in Hospital

Faculty- Nursing

Name of College/Institute- Dr. Kolpe Nursing College (B.Sc Nursing)

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site		Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual 1:3333		Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 86%		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		Adequate
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			


Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:- 01/02/2026


Dean/ Principal Stamp & Signature

Principal
Dr. Kolpe Nursing College
A/p. Kolpewadi, Tal. Kopergaon
Dist. Ahmednagar

AHILYANAGAR ZILLA PARISHAD



AHILYANAGAR

FORM 'C'

(See Rule - 5)

Certificate of Registration Under Section 5 of the Bombay
Nursing Homes

Registration Act 1949

No. - 18/2025

This is to certify that Shri./Smt. Dr. Dhananjay Prakash Kolpe has requested under the Maharashtra Nursing Homes Registration Act. 2021, in respect of - Gramin Samajsevi Sanstha Sanchalit, Suprasadh Multispeciality Hospital situated At/Post - Kolpewadi, Tal-Kopargaon, Dist-Ahilyanagar. and has been authorized to carry on the said nursing home.

Registration No. :- AH- 319

No. of Beds:-

300

Date of Registration. :- 20/04/2011

Place. :- Ahilyanagar

Date of issue of Certificate :- 04/04/2025

This Certificate of registration shall be valid upto :- 08/08/2027




8/4/2025
(Dr. Bapusaheb Nagargoje.)

Signature of the registering authority

District Health Officer
Zilla Parishad, Ahilyanagar



Principal
Dr. Kolpe Nursing College
A/p. Kolpewadi, Tal. Kopargaon
Dist. Ahmednagar

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I

Date: 10/03/2022

No:- Format1.0/PSO/UAN No.0000124306/CE/2203000605

To,
Gramin Samajsevi Sanstha's
Suprasadh Multispecialty Hospital
At.Po.Kolpewadi, Tal.Kopargaon,
Ahmednagar-423602
Email:graminsevasanstha@gmail.com
Contact No.:9960394648



Your Service is Our
Duty

Grant of consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 27/12/2021
2. SCN for refusal for grant of CCA issued on 10.02.2022
3. Your reply to SCN submitted on 26.02.2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 08-08-2021 To 08-08-2026
2. The capital investment of the HCF is ₹510.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 16900.00 M² with Built-up area 1000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : 300 Nos (As per BNH certificate no. AH-319)
 - I. General Beds : 300 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 18.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1		NA	As per Actual	NA

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF Bioclean System India Pvt Ltd, Ahmednagar Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



1beb7c14
97bcac04
2c2c7ed3
d2376843
c875a644
1827597e
6b5a67db
1f4f7340

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2022-03-10 18:52:07 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	MPCB-DR-8545	27/12/2021	NEFT
2	5000.00	MPCB-DR-8546	27/12/2021	NEFT
3	25000.00	MPCB-DR-8547	27/12/2021	NEFT

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahmednagar
- You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	18.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	3	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	0.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Bioclean System India Pvt Ltd, Ahmednagar and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
2	To provide sewage treatment for treatment of domestic effluent	Continuous	100,000.00
Total			1,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.



1

भारतीय गैर न्यायिक

भारत INDIA

500

FIVE HUNDRED RUPEES

सौ रुपये

Rs. 500

INDIA NON JUDICIAL



MAHARASHTRA

2023

BZ 197645

प्रकार - सेव्येकमी,
अहंत का. - होय/नाही,
गस दुय्यम निबंधक कार्यालयाचे नांव :-

गोपनीय दस्तऐवज
कोपरगाव
पू दिनांक
25 SEP 2023
Jo
अकोलागडर अधिकारी, कोर

मोबदला रक्कम रु. :-
मुद्रांक विकत घेणाऱ्याचे नांव :- स्वामिनो वसुदेवजी शंभूराव, कोरपेवडी,
दुसऱ्या पक्षकाराचे नांव :-
हस्त असल्यास त्याचे नांव व पत्ता :- शोमिता आयणीव, कोपरगाव,
मुद्रांक शुल्क रक्कम रु. :- 40028
मुद्रांक विक्री नोंदवही क्र. :- 6469 दिनांक :- 9/10/2023
मुद्रांक विकत घेणाऱ्याची सही :- y.m. Manoj

प्रकाश शं. मायकवाड, कोपरगाव,
परवाना क्र. १३/१५,
जुमा कारणासाठी मुद्रांक खरेदी केला त्याच कारणासाठी मुद्रांक खरेदी केल्यापासुन द,
महीन्याचे आत वापरणे बंधनकारक आहे.

NOTARY
NOTED & REGISTERED
at Serial No. 497/2023
Date: 18/10/2023
THIS DOCUMENT
Contains 3 Pages.

MEMORENDUM OF UNDERSTANDING

This Memorandum of understanding (MOU) is drawn on the 18th day of Oct 2023 BETWEEN

Suprasad Multispecialty Hospital, Medical Officer- Dr.Dhananjay P Kolpe having its office at A/P: Kolpewadi, Tal. Kopargaon, Dist: Ahmedagar Pin Code. 423602,

(Which expression shall unless repugnant to the context and meaning there of, be deemed to include it's executors, administrators and assignee)

.....Party of the FIRST PART

AND
Dr. Kolpe Nursing College Through its Principal, Mr. Arjun Vitthal Sontakke, Having its office at A/P: Kolpewadi, Tal: Kopargaon, Dist: Ahmednagar Pin Code. 423602,

(Which expression shall unless repugnant to the context and meaning thereof, be deemed to include it's executors, administrators and assignee)

.....Party of the SECOND PART



(2)

WHEREAS, Suprasad Multispecialty Hospital is private 300 Bedded hospital and is managed by Dr.Dhananjay P Kolpe Gramin Samajsevi Sanstha Trust, Kolpewadi.

And

Whereas Dr. Kolpe Nursing College established in the year 2016 duly recognized by Indian Nursing Council, Maharashtra Nursing Council and affiliated to Maharashtra University of health sciences, Nashik and approved by Government of Maharashtra University vide G.R. No.1NUR- NUR-2014/PR18/14/Edu-1 Dated: 10/06/2016, &GR No- NUR-1022/PR.278/22/Edu-2 Dated: 21/10/2022 and Principal of Dr. Kolpe Nursing College having being given powers to enter into agreement for affording practical training of student nurses of the Nursing course at Suprasad Multispecialty Hospital.

And whereas the corporation there upon in it's management Committee Meeting passed resolution No.15 dtd. 01/06/2023 allowing Dr. Kolpe Nursing College to use Suprasad Multispecialty Hospital for practical training for it's student nurses.

Now therefore following terms and conditions have been prescribed and those have been accepted by both the parties.

1. The Suprasad Multispecialty Hospital hereby allows Dr. Kolpe Nursing College ,Kolpewadi to make use of Hospital to impart practical training to its Nursing students.
2. Basic B Sc Nursing - 100 Students, (Proposed P.B.B.Sc Nursing-50, M.Sc Nursing-50)
3. The Suprasad Multispecialty Hospital will not pay any remuneration to Dr. Kolpe Nursing College Student nurses on this account.
4. The Dr. Kolpe Nursing College , Kolpewadi will not claim any type of fund or grant from this educational activity.
5. The clinical instructors / clinical tutor will do the day today supervision during posting in hospital.
6. Dr. Kolpe Nursing College , Kolpewadi will ensure that the students will maintain discipline during the tenure of training in the hospital.
7. Dr. Kolpe Nursing College has to ensure that the student nurses attend the hospital regularly and in time for the duty hours.
8. This agreement is valid for a period of 35 YEARS from date of this agreement and renewable as per the resolution of standing committee.
9. Dr. Kolpe Nursing College, Kolpewadi will be responsible for all the claims, correspondence or Expenses payable consequences of any accident or injuries sustained by any student in the hospital.
10. It is agreed by & between the parties that any dispute arises all terms of this agreement

Suprasad Multispecialty Hospital has the authority to terminate this agreement without any prior notice.


It is assumed that the parties have to sign this agreement on the day and year mentioned above.





a. Name: Dr.Dhananjay P Kolpe
Address: Suprasad Multispecialty Hospital,
A/P: Kolpewadi, Tal. Kopergaon,
Dist: Ahmednagar


Sign: 
SUPRASADH MULTISPECIALTY HOSPITAL
Kolpewadi, Tal. Kopergaon, Dist. Ahmednagar

b. Name: Mr. Arjun Vitthal Sontakke
Address: Principal,
Dr. Kolpe Nursing College,
A/P: Kolpewadi, Tal: Kopergaon,
Dist: Ahmednagar 423602

Sign: 
Principal
Dr. Kolpe Nursing College
A/p. Kolpewadi, Tal. Kopergaon
Dist. Ahmednagar

In presence of

- 1. Mr. Digambar N Nimbalkar 
- 2. Mr. Nitin Shivaji Raut 

Identify by: 
Karan Narayan Tribhuvan

Solemnly affirmed before me
by Dhananjay Bakash Kolpe
identified by Karan Narayan Tribhuvan
whom I know personally.


PRADIPKUMAR DHONDIBA RANDHIR
Advocate & Notary
Government of India


Principal
Dr. Kolpe Nursing College
A/p. Kolpewadi, Tal. Kopergaon
Dist. Ahmednagar

